

TREND STAR

Product line: Silverline

We were invented for traditional clients. We are classical beautiful, so we look good in every interior. Our functions are reliable - we save energy and protect from the noise.

PRODUCT INFORMATION


PRODUCT DESCRIPTION

Trend Star is:


- A 5-chamber profile with the building depth of to 70 mm, which makes it possible to earn very good warmth parameters
- External profile walls with the thickness of 3 mm, which fulfill the highest RAL standards - "Class A" (PN-EN 12608)
- A layout of two tightening gaskets, which provides an excellent tightness and thermal and acoustic insulation
- A profile with a classical optic and balanced proportions, which makes it possible to fit windows with every elevation type
- A low total height of the frame and wing (118mm), which provides an excellent interior elucidation;
- The possibility of using glazings from 8 to 42 mm without using any additional profiles
- Reinforcements made of steel, used on the whole construction circuit, which provide an excellent static stability and long-term functionality
- Smooth and easy in caring surfaces, which don't need conservation
- A 13- mm fitting notch axis is a better protection from the burglary
- The glazing is deposited at the depth of 24 mm, what reduces the liquefaction of water vapor in the glazing and makes it difficult to force the window



COLOR



Brown 8875.05



Nut 2178.007



Bogoak 2052.089




Gold oak 2178.001




Silver-gray 7155.05




Mahogany 2065.021




Earl Platin 1293.010



**Platinum Quartz
1293.002**




Crown Platin 123.001




**Silver Brushed Aluminum
4361002**



**Brushed Aluminum
4361001**



Black-brown 8518.05



Burgundy 3005.05




Red-Brown 3081.05



Ruby-red 3003.05



Karmin-Red 3003.05



**Monumental Green
9925.05**



Dark-green 6125.05




Moss-green 6005.05




Emerald green 6110.05



Blue-green 6004.05



Monamental-Blue 5004.05



Navy Blue 5150.05



Ultramarine Blue 5002.05




Kobalt-blue 5013.05




Brilliant blue 5007.05




Kwarcowo-szary 7039.05




**Slate gray smooth
7015.05-083**




Slate gray 7015.05



Dark-gray 7016.05



**Basalt-gray smooth
7012.05-083**



Basalt-gray 7012.05



Silver-gray smooth
7155.05-083



Agate-gray 7038.05



Light gray 7251.05




Zinc yellow 1087.05



Ivory 1015.05




Creamy white 1379.05




Papyrus-white 9018.05



White foliated 9152.05



Palisander 3202.002



Macore 3162.002



Shogun AF 49198



Shogun AD 49195



Shogun AC 49197



Rustic oak 3156.003



Light oak 3118.076




Oregon III 2115.008




Mugo pine 3069.041




Douglas 3069.037



Winchester 49240




Siena noce 49237



Siena rosso 49233



Dark Grey Silky Smooth
4367003



9016 RAL

SPECIFICATIONS

BUILDING DEPTH

70mm

THERMAL INSULATION

In connection with a standard glazing
4/16/4 $U_g = 1,1 \text{ W/m}^2\text{K}$ the $U_w = 1,2 \text{ W/m}^2\text{K}$.
With the 4/14/4/14/4 $U_g = 0,6 \text{ W/m}^2\text{K}$ the U_w factor $0,86 \text{ W/m}^2\text{K}$

GASKETS

Modern EPDM gaskets with a shape
memory, available in: black, gray or
optionally caramel

ACOUSTIC

Max 48dB

ANTI-BURGLARY

In the standard, they're equipped with 1 anti-burglary catch. It's possible to execute the Trend Star windows in the safety class up to RC2

NUMBER OF CHAMBERS

5

FITTING

The modern Maco Multi fitting, equipped with anti-brake in plugs i.S (intelligent Safety)

GLASS

The Trend Star windows are in the standard equipped with a compound glazing 4/16/4 $U_g=1,1 \text{ Wm}^2/\text{K}$. But it is possible to make windows with glazing 4/12/4/12/4 or 4/14/4/14/4 with factors $U_g=0,7$ or $U_g=0,6 \text{ Wm}^2/\text{K}$

PICTURES

